

DOOR PANELS & MOULDINGS

Inside:

- Flat Panels
- Standard Panels
- Decorative Panel & Mouldings

www.climatec-windows.co.uk



FLAT UPVC PANELS

- Flat panels for uPVC doors
- 28mm Thickness
- Reinforcing Options available: 4mm Standard Reinforcing
 4mm and Ali Reinforcing
 8mm Standard Reinforcing
 PAS24 Enhanced Security Reinforcing
- Can be used with decorative mouldings to enhance door design.
- 21 colours available:
 White, Whitegrain, Clotted Cream, Turner Oak, Irish Oak,
 Golden Oak, Mahogany, Rosewood, Midnight Black,
 Schwarzbraun, Anthracite Grey (grained), Anthracite Grey (smooth), Slate Grey (grained), Elephant Grey, Pearl Grey,
 Pebble Grey (grained), Chartwell Green, Sage, Racing
 Green, Ruby Red, Steel Blue.





STANDARD UPVC PANELS

- Over 30 standard door panel designs available, plus Shiplap, half panels and quarter panel options
- Manufactured using advanced technology that bonds two PVC skins to a variety of reinforcing materials ensuring the integrity of the panel against heat and moisture.
- Enhanced Security options available
- Brochure available showing all designs available can be found in the information centre of our website www.climatec-windows.co.uk



standard panels:



For further assistance, call 01702 613733

DECORATIVE PANELS & MOULDINGS

- Raised & Fielded Panels
- Three moulding designs for extra enhancement
- Upgrade a door design by using the panel and mouldings together
- 20 colours available (not available as standard white):
 Whitegrain, Clotted Cream, Turner Oak, Irish Oak,
 Golden Oak, Mahogany, Rosewood, Midnight Black,
 Schwarzbraun, Anthracite Grey (grained), Anthracite Grey (smooth), Slate Grey (grained), Elephant Grey, Pearl Grey,
 Pebble Grey (grained), Chartwell Green, Sage, Racing Green, Ruby Red, Steel Blue.



Raised and Fielded Panel



Bolection 020 Moulding



Bolection 030 Moulding



LR200 Mouldings

Climatec Windows & Doors





Raised and Fielded Panel with Bolection 020 Moulding

For further assistance, call 01702 613733

www.climatec-windows.co.uk